

MATERIAL SAFETY DATA SHEET

Document Number MSDS-MF-003

SECTION 1: NAME AND PRODUCT

Name:

SELEE Corporation

Address:

700 Shepherd Street
Hendersonville, NC 28792 U.S.A.

Product Name:

S314- Stainless Steel 314 foam

Product Type:

Metal foam

Contact:

Safety & Environmental Compliance Officer

Emergency Telephone Phone Number:

(828) 697-2411
(800) 438-7274

Telephone Number for Information:

(828) 697-2411
(800) 438-7274

Date Prepared:

11/27/06

Date Superseded:

9/23/04

Revision:

3

SECTION II: REGULATED INGREDIENTS*

Non-hazardous fired metallic product

SECTION III: HAZARD IDENTIFICATION

Inhalation:

Minimal inhalation hazard of particles.

Eyes/Skin:

Abrasion hazard.

Ingestion:

Unlikely

SECTION IV – HEALTH, FIRST AID AND MEDICAL TREATMENT

Inhalation:

Health Hazards (Acute and Chronic):

Avoid inhalation of metal foam fragments.

Emergency and First Aid Procedures:

N/A

Ingestion:

Health Hazards (Acute and Chronic):

Avoid ingestion of metal foam fragments.

Emergency and First Aid Procedures:

Consult a physician.

Skin:

Health Hazards (Acute and Chronic):

Abrasive, recommend wearing protective equipment

Emergency and First Aid Procedures:

Wash with soap and water

Eye:

Health Hazards (Acute and Chronic):

Particle may enter eye



700 Shepherd Street, Hendersonville, N.C. 28792 U.S.A.
(828) 697-2411 (800) 438-7274 Fax: (828) 693-1868

Emergency and First Aid Procedures:

Flush eye with water. See doctor if irritation proceeds

Other Potential Risks: Health Hazards (Acute and Chronic):
N/A

Emergency and First Aid Procedures:
N/A

Health Hazard Rating: **Health Hazard Rating Explanation:**
0 0 – Normal Material 3 – Extreme Danger
 1 – Slightly Hazardous 4 – Deadly
 2 – Hazardous

SECTION V – FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A (Method Used): N/A Flammable Limits:
LEL: N/A UEL: N/A

Extinguishing Media: N/A

Special Fire Fighting Procedures: N/A

Explosion Potential: N/A

Fire Hazard Rating Fire Hazard Rating Explanation:
0 0 – Will Not Burn 3 – Below 100°F (38°C)
 1 – Above 200°F (93°C) 4 – Below 73°F (23°C)
 2 – Below 200°F (93°C)

SECTION VI – ACCIDENTAL RELEASE

Steps to be Taken in Case of Leaks or Spills:
Sweep up and dispose of in accordance with FEDERAL, STATE and LOCAL REGULATIONS.

SECTION VII – STORAGE, HANDLING AND USE PROCEDURES

Normal Storage and Handling:
When storing keep dry. Do not use wet. Do not store near acids or reactive substances.

Normal Use:
Keep dry

SECTION VIII – PERSONAL PROTECTION INFORMATION

Respiratory Protection: If ventilation alone cannot so control exposure, use NIOSH-approved respirators selected according to OSHA 29 CFR 1910.134.

Ventilation:
General and local exhaust ventilation, engineering controls, and good housekeeping practices are recommended to keep dust concentrations below the permissible exposure limits.

Protective Gloves: Recommended

Eye Protection: Safety Goggles

SECTION IX: PHYSICAL AND CHEMICAL DATA

Boiling Point: N/A Melting Point: N/A Specific Gravity: N/A
Vapor Pressure: N/A Percent Volatile by Vol.: N/A Vapor Density: N/A
Evaporation Rate: N/A Solubility by Water: None

Appearance and Odor: Gray, odorless, metallic filter

